

# TUE

# 深圳正盟电子有限公司





Technics United Electronic Co., Ltd



## EI-48

### AC-AC ADAPTERS

Last Update:2005-4-20

MODEL	OUTPUT		SAFETY								
	V olt V ac	Amp	CB Report		UL	CE Countries		United Kingdom		SAA	China
			IEC 60950	IEC 61558					AS/NZS 60950		
							UL 1310	EN 60950			EN 61558
TEAC-48-03xxxx M	3.00	1.50A,1.55A,1.60A,1.65A,1.70A,1.75A,1.80A,1.85A,1.90A,1.95A									*
TEAC-48-032000 U/M	3.00	2.00A			*						*
TEAC-48-03xxxx M	3.00	2.05A,2.10A,2.15A,2.20A,2.25A,2.30A,2.35A,2.40A,2.45A									*
TEAC-48-032500 U/M	3.00	2.50A			*						*
TEAC-48-03xxxx M	3.00	2.55A,2.60A,2.65A,2.70A,2.75A,2.80A,2.85A,2.90A,2.95A									*
TEAC-48-033000 U/V/VB/M	3.00	3.00A	*	*	*	*	*	*	*		*
TEAC-48-03xxxx M	3.00	3.05A,3.10A,3.15A,3.20A,3.25A,3.30A,3.35A,3.40A,3.45A									*
TEAC-48-033500 U/V/VB/M	3.00	3.50A	*	*	*	*	*	*	*		*
TEAC-48-03xxxx M	3.00	3.55A,3.60A,3.65A,3.70A,3.75A,3.80A,3.85A,3.90A,3.95A									*

TEAC-48-034000 U/V/VB/M	3.00	4.00A	*	*	*	*	*	*	*	-1	*
TEAC-48-03xxxx M	3.00	4.05A,4.10A,4.15A,4.20A,4.25A,4.30A,4.35A,4.40A,4.50A,4.45A									*
TEAC-48-034500 U/V/VB/M	3.00	4.5A	*	*	*	*	*	*	*	*	*
TEAC-48-04xxxx M	4.50	1.00A,1.05A,1.15A,1.20A,1.25A,1.30A,1.35A,1.40A,1.45A									*
TEAC-48-041500 U/M	4.50	1.50A	.		*						*
TEAC-48-04xxxx M	4.50	1.55A,1.60A,1.65A,1.70A,1.75A,1.80A,1.85A,1.90A,1.95A									*
TEAC-48-042000 U/V/VB/M	4.50	2.00A	*	*	*	*	*	*	*	*	*
TEAC-48-04xxxx M	4.50	2.05A,2.10A,2.15A,2.20A,2.25A,2.30A,2.35A,2.40A,2.45A									*
TEAC-48-042500 U/V/VB/M	4.50	2.50A	*	*	*	*	*	*	*	*	*
TEAC-48-04xxxx M	4.50	2.55A,2.60A,2.65A,2.70A,2.75A,2.80A,2.85A,2.90A,2.95A									*
TEAC-48-043000 U/V/VB/M	4.50	3.00A	*	*	*	*	*	*	*	*	*
TEAC-48-04xxxx M	4.50	3.05A,3.10A,3.15A,3.20A,3.25A,3.30A,3.35A,3.40A,3.45A									*
TEAC-48-043500 U/V/VB/M	4.50	3.50A	*	*	*	*	*	*	*	*	*
TEAC-48-04xxxx M	4.50	3.55A,3.60A,3.65A,3.70A,3.75A,3.80A,3.85A,3.90A,3.95A									*

TEAC-48-044000 U/V/VB/M	4.50	4.00A	*	*	*	*	*	*	*	*	*
TEAC-48-05xxxx M	5.00	1.00A,1.05A,1.10A,1.15A,1.20A,1.25A,1.30A,1.35A,1.40A,1.45A,1.50A,1.55A,1.60A,1.65A,1.70A,1.75A,1.80A,1.85A,1.90A,1.95A,2.00A,2.05A,2.10A,2.15A,2.20A,2.25A,2.30A,2.35A,2.40A,2.45A,2.50A,2.55A,2.60A,2.65A,2.70A,2.75A,2.80A,2.85A,2.90A,2.95A,3.00A,3.05A,3.10A,3.15A,3.20A,3.25A,3.30A,3.35A,3.40A,3.45A,3.50A									*
TEAC-48-061000 U/M	6.00	1.00A		.	*						*
TEAC-48-06xxxx M	6.00	1.05A,1.10A,1.15A,1.20A,1.25A,1.30A,1.35A,1.40A,1.45A									*
TEAC-48-061500 U/V/VB/M	6.00	1.50A	*	*	*	*	*	*	*	*	*
TEAC-48-06xxxx M	6.00	1.55A,1.60A,1.65A,1.70A,1.75A,1.80A,1.85A,1.90A,1.95A									*
TEAC-48-062000 U/V/VB/M	6.00	2.00A	*	*	*	*	*	*	*	*	*
TEAC-48-06xxxx M	6.00	2.05A,2.10A,2.15A,2.20A,2.25A,2.30A,2.35A,2.40A,2.45A									*
TEAC-48-062500 U/V/VB/M	6.00	2.50A	*	*	*	*	*	*	*	*	*
TEAC-48-06xxxx M	6.00	2.55A,2.60A,2.65A,2.70A,2.75A,2.80A,2.85A,2.90A,2.95A									*
TEAC-48-063000 U/V/VB/M	6.00	3.00A	*	*	*	*	*	*	*	*	*
TEAC-48-070800 U	7.50	0.80A		.	*						

TEAC-48-071000 U/M	7.50	1.00A			*							*
TEAC-48-07xxxx M	7.50	1.05A,1.10A,1.15A										*
TEAC-48-07xxxx M	7.50	1.25A,1.30A,1.35A,1.40A										*
TEAC-48-071500 U/V/VB	7.50	1.50A	*	*	*	*	*	*	*	*		*
TEAC-48-071550 M	7.50	1.55A										*
TEAC-48-071600 U/V/VB/M	7.50	1.60A	*	*	*	*	*	*	*	*		*
TEAC-48-071650 M	7.50	1.65A										*
TEAC-48-071700 U/V/VB/M	7.50	1.70A	*	*	*	*	*	*	*	*		*
TEAC-48-071750 M	7.50	1.75A										*
TEAC-48-071800 U/V/VB/M	7.50	1.80A	*	*	*	*	*	*	*	*		*
TEAC-48-071850 M	7.50	1.85A										*
TEAC-48-071900 U/V/VB/M	7.50	1.90A	*	*	*	*	*	*	*	*		*
TEAC-48-071950 M	7.50	1.95A										*
TEAC-48-072000 U/V/VB/M	7.50	2.00A	*	*	*	*	*	*	*	*		*
TEAC-48-072050 M	7.50	2.05A										*
TEAC-48-072100 U/V/VB/M	7.50	2.10A	*	*	*	*	*	*	*	*		*
TEAC-48-072150 M	7.50	2.15A										*
TEAC-48-072200 U/V/VB/M	7.50	2.20A	*	*	*	*	*	*	*	*		*
TEAC-48-072250 M	7.50	2.25A										*
TEAC-48-072300 U/V/VB/M	7.50	2.30A	*	*	*	*	*	*	*	*		*

TEAC-48-072350 M	7.50	2.35A										*
TEAC-48-072400 U/V/VB/M	7.50	2.40A	*	*	*	*	*	*	*	*		*
TEAC-48-072450 M	7.50	2.45A										*
TEAC-48-072550 M	7.50	2.55A										*
TEAC-48-072600 U/V/VB/M	7.50	2.60A	*	*	*	*	*	*	*	*		*
TEAC-48-072650 M	7.50	2.65A										*
TEAC-48-072700 U/V/VB/M	7.50	2.70A	*	*	*	*	*	*	*	*		*
TEAC-48-072750 M	7.50	2.75A										*
TEAC-48-072800 U/V/VB/M	7.50	2.80A	*	*	*	*	*	*	*	*		*
TEAC-48-090800 U	9.00	0.80A			*							
TEAC-48-091000 U/V/VB/M	9.00	1.00A	*	*	*	*	*	*	*	*		*
TEAC-48-09xxxx M	9.00	1.05A,1.10A,1.15A										*
TEAC-48-091200 U/V/VB/M	9.00	1.20A	*	*	*	*	*	*	*	*		*
TEAC-48-09xxxx M	9.00	1.25A,1.30A,1.35A,1.40A,1.45A										*
TEAC-48-091500 U/V/VB/M	9.00	1.50A	*	*	*	*	*	*	*	*		*
TEAC-48-091550 M	9.00	1.55A										*
TEAC-48-091600 U/V/VB/M	9.00	1.60A	*	*	*	*	*	*	*	*		*
TEAC-48-091650 M	9.00	1.65A										*
TEAC-48-091700 U/V/VB/M	9.00	1.70A	*	*	*	*	*	*	*	*		*
TEAC-48-091750 M	9.00	1.75A										*

TEAC-48-091800 U/V/VB/M	9.00	1.80A	*	*	*	*	*	*	*	*	*
TEAC-48-091850 M	9.00	1.85A									*
TEAC-48-091900 U/V/VB/M	9.00	1.90A	*	*	*	*	*	*	*	*	*
TEAC-48-091950 M	9.00	1.95A									*
TEAC-48-092000 U/V/VB/M	9.00	2.00A	*	*	*	*	*	*	*	*	*
TEAC-48-092050 M	9.00	2.05A									*
TEAC-48-09xxxx U/V/VB/M	9.00	2.10A,2.2A	*	*	*	*	*	*	*	*	*
TEAC-48-092250 M	9.00	2.25A									*
TEAC-48-092300 U/V/VB/M	9.00	2.30A	*	*	*	*	*	*	*	*	*
TEAC-48-100800 U/M	10.00	0.80A			*						*
TEAC-48-100850 M	10.00	0.85A									*
TEAC-48-100900 U/M	10.00	0.90A			*						*
TEAC-48-100950 M	10.00	0.95A									*
TEAC-48-101000 U/V/VB/M	10.00	1.00A	*	*	*	*	*	*	*	*	*
TEAC-48-101050 M	10.00	1.05A									*
TEAC-48-101100 U/M	10.00	1.10A			*						*
TEAC-48-101150 M	10.00	1.15A									*
TEAC-48-101200 U/V/VB/M	10.00	1.20A	*	*	*	*	*	*	*	*	*
TEAC-48-101250 M	10.00	1.25A									*
TEAC-48-101300 U/V/VB/M	10.00	1.30A	*	*	*	*	*	*	*	*	*

TEAC-48-101350 M	10.00	1.35A									*
TEAC-48-101400 U/V/VB/M	10.00	1.40A	*	*	*	*	*	*	*	*	*
TEAC-48-101450 M	10.00	1.45A									*
TEAC-48-101500 U/V/VB/M	10.00	1.50A	*	*	*	*	*	*	*	*	*
TEAC-48-101550 M	10.00	1.55A									*
TEAC-48-101600 U/V/VB/M	10.00	1.60A	*	*	*	*	*	*	*	*	*
TEAC-48-101650 M	10.00	1.65A									*
TEAC-48-101700 U/V/VB/M	10.00	1.70A	*	*	*	*	*	*	*	*	*
TEAC-48-101750 M	10.00	1.75A									*
TEAC-48-101800 U/V/VB/M	10.00	1.80A	*	*	*	*	*	*	*	*	*
TEAC-48-101850 M	10.00	1.85A									*
TEAC-48-101900 U/V/VB/M	10.00	1.90A	*	*	*	*	*	*	*	*	*
TEAC-48-101950 M	10.00	1.95A									*
TEAC-48-102000 U/V/VB/M/A	10.00	2.00A	*	*	*	*	*	*	*	*	*
TEAC-48-102500 U	10.00	2.50A	.		*						
TEAC-48-120xxx U	12.00	0.50A,0.60A,0.70A	.		*						
TEAC-48-120800 U/M	12.00	0.80A	.		*						*
TEAC-48-120830 M	12.00	0.83A									*
TEAC-48-120850 V/VB/M	12.00	0.85A	*	*		*	*	*	*		*
TEAC-48-120900 U/V/VB/M	12.00	0.90A	*	*	*	*	*	*	*	*	*

TEAC-48-120950 M	12.00	0.95A										*
TEAC-48-121000 U/V/VB/M	12.00	1.00A	*	*	*	*	*	*	*	*		*
TEAC-48-12xxxx M	12.00	1.05A,1.10A,1.15A,1.20A										*
TEAC-48-121250 U/V/VB/M	12.00	1.25A	*	*	*	*	*	*	*	*		*
TEAC-48-12xxxx M	12.00	1.30A,1.35A										*
TEAC-48-121400 U/V/VB/M	12.00	1.40A	*	*	*	*	*	*	*	*		*
TEAC-48-121450 M	12.00	1.45A										*
TEAC-48-121500 U/V/VB/M	12.00	1.50A	*	*	*	*	*	*	*	*		*
TEAC-48-12xxxx M	12.00	1.55A,1.60A,1.65A										*
TEAC-48-121670 U/V/VB/M	12.00	1.67A	*	*	*	*	*	*	*	*		*
TEAC-48-12xxxx M	12.00	1.70A,1.75A										*
TEAC-48-121800 V/VB/M	12.00	1.80A	*	*		*	*	*	*	*		*
TEAC-48-12xxxx M	12.00	1.85A,1.90A,1.95A										*
TEAC-48-122000 U/V/VB/M	12.00	2.00A	*	*	*	*	*	*	*	*		*
TEAC-48-13xxxx M	13.50	0.60A,0.65A,0.70A,0.75A,0.80A,0.85A,0.90A,0.95A,1.00A,1.05A,1.10A,1.15A,1.20A,1.25A,1.30A,1.35A,1.40A,1.45A,1.50A,1.55A,1.60A,1.65A,1.70A,1.75A,1.80A										*
TEAC-48-140500 U	14.00	0.50A	.		*							
TEAC-48-140600 U/M	14.00	0.60A	.		*							*

TEAC-48-140650 M	14.00	0.65A									*
TEAC-48-140700 U/M	14.00	0.70A	.		*						*
TEAC-48-140750 M	14.00	0.75A									*
TEAC-48-140800 U/V/VB/M	14.00	0.80A	*	*	*	*	*	*	*	*	*
TEAC-48-14xxxx M	14.00	0.85A,0.90A,0.95A									*
TEAC-48-141000 U/V/VB/M	14.00	1.00A	*	*	*	*	*	*	*	*	*
TEAC-48-14xxxx M	14.00	1.05A,1.10A,1.15A									*
TEAC-48-141200 U/V/VB/M	14.00	1.20A	*	*	*	*	*	*	*	*	*
TEAC-48-141250 M	14.00	1.25A									*
TEAC-48-141300 U/V/VB/M	14.00	1.30A	*	*	*	*	*	*	*	*	*
TEAC-48-141350 M	14.00	1.35A									*
TEAC-48-141400 U/V/VB/M	14.00	1.40A	*	*	*	*	*	*	*	*	*
TEAC-48-141450 M	14.00	1.45A									*
TEAC-48-141500 U/V/VB/M/A	14.00	1.50A	*	*	*	*	*	*	*	*	*
TEAC-48-141550 M	14.00	1.55A									*
TEAC-48-141600 U/V/VB/M	14.00	1.60A	*	*	*	*	*	*	*	*	*
TEAC-48-141650 M	14.00	1.65A									*
TEAC-48-141700 U/V/VB/M	14.00	1.70A	*	*	*	*	*	*	*	*	*
TEAC-48-1451500 U	14.50	1.50A	.		*						
TEAC-48-150500 U	15.00	0.50A	.		*						

TEAC-48-150600 U/M	15.00	0.60A	.	*							*
TEAC-48-150650 M	15.00	0.65A									*
TEAC-48-150700 U/M	15.00	0.70A	.	*							*
TEAC-48-150750 M	15.00	0.75A									*
TEAC-48-150800 U/V/VB/M	15.00	0.80A	*	*	*	*	*	*	*		*
TEAC-48-150850 M	15.00	0.85A									*
TEAC-48-150900 U/V/VB/M	15.00	0.90A	*	*	*	*	*	*	*		*
TEAC-48-150950 M	15.00	0.95A									*
TEAC-48-151000 U/V/VB/M	15.00	1.00A	*	*	*	*	*	*	*		*
TEAC-48-151050 M	15.00	1.05A									*
TEAC-48-151100 U/V/VB/M	15.00	1.10A	*	*	*	*	*	*	*		*
TEAC-48-151150 M	15.00	1.15A									*
TEAC-48-151200 U/V/VB/M	15.00	1.20A	*	*	*	*	*	*	*		*
TEAC-48-151250 M	15.00	1.25A									*
TEAC-48-151300 U/V/VB/M	15.00	1.30A	*	*	*	*	*	*	*	.	*
TEAC-48-151350 M	15.00	1.35A									*
TEAC-48-151400 U/V/VB/M	15.00	1.40A	*	*	*	*	*	*	*		*
TEAC-48-151450 M	15.00	1.45A									*
TEAC-48-151500 U/V/VB/M	15.00	1.50A	*	*	*	*	*	*	*		*

TEAC-48-151550 M	15.00	1.55A										*
TEAC-48-151600 U/V/VB/M	15.00	1.60A	*	*	*	*	*	*	*	*		*
TEAC-48-151700 U	15.00	1.70A	.		*							
TEAC-48-160400 U	16.00	0.40A			*							
TEAC-48-160500 U/M	16.00	0.50A			*							*
TEAC-48-160550 M	16.00	0.55A										*
TEAC-48-160600 U/M	16.00	0.60A			*							*
TEAC-48-160650 M	16.00	0.65A										*
TEAC-48-160700 U/V/VB/M	16.00	0.70A	*	*	*	*	*	*	*	*		*
TEAC-48-160750 V/VB/M	16.00	0.75A	*			*		*	*	*		*
TEAC-48-160800 U/V/VB/M	16.00	0.80A	*	*	*	*	*	*	*	*		*
TEAC-48-160850 M	16.00	0.85A										*
TEAC-48-160900 U/V/VB/M	16.00	0.90A	*	*	*	*	*	*	*	*		*
TEAC-48-160950 M	16.00	0.95A										*
TEAC-48-161000 U/V/VB/M	16.00	1.00A	*	*	*	*	*	*	*	*		*
TEAC-48-16xxxx M	16.00	1.05A,1.10A,1.15A										*
TEAC-48-161200 U/V/VB/M	16.00	1.20A	*	*	*	*	*	*	*	*		*
TEAC-48-161250 M	16.00	1.25A										*
TEAC-48-161300 U/V/VB/M	16.00	1.30A	*	*	*	*	*	*	*	*		*

TEAC-48-161350 M	16.00	1.35A										*
TEAC-48-161400 U/V/VB/M	16.00	1.40A	*	*	*	*	*	*	*	*		*
TEAC-48-161450 M	16.00	1.45A										*
TEAC-48-161500 U/V/VB/M	16.00	1.50A	*	*	*	*	*	*	*	*		*
TEAC-48-161600 U	16.00	1.60A	.		*							
TEAC-48-180xxx M	18.00	0.40A,0.45A										*
TEAC-48-180500 U/V/VB/M	18.00	0.50A	*	*	*	*	*	*	*	*		*
TEAC-48-180550 M	18.00	0.55A										*
TEAC-48-180600 U/V/VB/M	18.00	0.60A	*	*	*	*	*	*	*	*		*
TEAC-48-180650 M	18.00	0.65A										*
TEAC-48-180700 U/V/VB/M	18.00	0.70A	*	*	*	*	*	*	*	*		*
TEAC-48-180750 M	18.00	0.75A										*
TEAC-48-180800 U/V/VB/M	18.00	0.80A	*	*	*	*	*	*	*	*		*
TEAC-48-180850 M	18.00	0.85A										*
TEAC-48-180900 U/V/VB/M	18.00	0.90A	*	*	*	*	*	*	*	*		*
TEAC-48-180950 M	18.00	0.95A										*
TEAC-48-181000 U/V/VB/M	18.00	1.00A	*	*	*	*	*	*	*	*		*
TEAC-48-18xxxx M	18.00	1.05A,1.10A,1.15A										*
TEAC-48-181200 U/V/VB/M	18.00	1.20A	*	*	*	*	*	*	*	*		*

TEAC-48-181250 M	18.00	1.25A									*
TEAC-48-181200 U/V/VB/M	18.00	1.30A	*	*	*	*	*	*	*	*	*
TEAC-48-181400 U	18.00	1.40A	.		*						
TEAC-48-200400 U/M	20.00	0.40A	.		*						*
TEAC-48-200450 M	20.00	0.45A									*
TEAC-48-200500 U/V/v1/M	20.00	0.50A	*	*	*	*	*	*	*	*	*
TEAC-48-200550 M	20.00	0.55A									*
TEAC-48-200600 U/M	20.00	0.60A	.		*						*
TEAC-48-200650 M	20.00	0.65A									*
TEAC-48-200700 U/M	20.00	0.70A	.		*						*
TEAC-48-200750 M	20.00	0.75A									*
TEAC-48-200800 U/M	20.00	0.80A	.		*						*
TEAC-48-200850 M	20.00	0.85A									*
TEAC-48-200900 U/M	20.00	0.90A	.		*						*
TEAC-48-200950 M	20.00	0.95A									*
TEAC-48-201000 U/M	20.00	1.00A	.		*						*
TEAC-48-201050 M	20.00	1.05A									*
TEAC-48-201100 U/M	20.00	1.10A	.		*						*
TEAC-48-201150 M	20.00	1.15A									*
TEAC-48-201200 U/M	20.00	1.20A	.		*						*
TEAC-48-201300 U	20.00	1.30A	.		*						

TEAC-48-205700 V	20.50	0.70A	*	*		*	*	*	*		
TEAC-48-210xxx M	21.00	0.30A,0.35A									*
TEAC-48-210400 U/M	21.00	0.40A			*						*
TEAC-48-210450 M	21.00	0.45A									*
TEAC-48-210500 U/M	21.00	0.50A			*						*
TEAC-48-210501 U/M	22.00	0.51A			*						*
TEAC-48-210600 U/V/VB/M	21.00	0.60A	*	*	*	*	*	*	*		*
TEAC-48-210650 M	21.00	0.65A									*
TEAC-48-210700 U/V/VB/M	21.00	0.70A	*	*	*	*	*	*	*		*
TEAC-48-210750 M	21.00	0.75A									*
TEAC-48-210800 U/V/VB/M	21.00	0.80A	*	*	*	*	*	*	*		*
TEAC-48-210850 M	21.00	0.85A									*
TEAC-48-210900 U/V/VB/M	21.00	0.90A	*	*	*	*	*	*	*		*
TEAC-48-210950 M	21.00	0.95A									*
TEAC-48-211000 U/V/VB/M	21.00	1.00A	*	*	*	*	*	*	*		*
TEAC-48-211050 M	21.00	1.05A									*
TEAC-48-211100 U/V/VB/M	21.00	1.10A	*	*	*	*	*	*	*		*
TEAC-48-211200 U	21.00	1.20A			*						
TEAC-48-220xxx M	22.00	0.30A,0.35A									*
TEAC-48-220400 U/M	22.00	0.40A			*						*

TEAC-48-220450 M	22.00	0.45A										*
TEAC-48-220500 U/V/VB/M	22.00	0.50A	*	*	*	*	*	*	*	*		*
TEAC-48-220550 M	22.00	0.55A										*
TEAC-48-220600 U/V/VB/M	22.00	0.60A	*	*	*	*	*	*	*	*		*
TEAC-48-220650 M	22.00	0.65A										*
TEAC-48-220700 U/V/VB/M	22.00	0.70A	*	*	*	*	*	*	*	*		*
TEAC-48-220750 M	22.00	0.75A										*
TEAC-48-220800 U/V/VB/M	22.00	0.80A	*	*	*	*	*	*	*	*		*
TEAC-48-220850 M	22.00	0.85A										*
TEAC-48-220900 U/V/VB/M	22.00	0.90A	*	*	*	*	*	*	*	*		*
TEAC-48-220950 M	22.00	0.95A										*
TEAC-48-221000 U/V/VB/M	22.00	1.00A	*	*	*	*	*	*	*	*		*
TEAC-48-221050 M	22.00	1.05A										*
TEAC-48-221100 U/V/VB/M	22.00	1.10A	*	*	*	*	*	*	*	*		*
TEAC-48-221200 U	22.00	1.20A			*							
TEAC-48-240xxx M	24.00	0.30A,0.35A										*
TEAC-48-240400 U/V/VB/M	24.00	0.40A	*	*	*	*	*	*	*	*		*
TEAC-48-240420 M	24.00	0.42A										*

TEAC-48-240450 V/VB/M	24.00	0.45A	*	*		*	*	*	*		*
TEAC-48-240500 U/V/VB/M	24.00	0.50A	*	*	*	*		*	*		*
TEAC-48-240600 U/V/VB	24.00	0.60A	*	*	*	*	*	*	*		
TEAC-48-240700 U/V/VB	24.00	0.70A	*	*	*	*	*	*	*		
TEAC-48-240750 U/V/VB/A	24.00	0.75A	*	*	*	*	*	*	*	*	
TEAC-48-240800 U/V/VB	24.00	0.80A	*	*	*	*	*	*	*		
TEAC-48-240900 U/V/VB	24.00	0.90A	*	*	*	*	*	*	*		
TEAC-48-241000 U/V/VB/A	24.00	1.00A	*	*	*	*	*	*	*	*	
TEAC-48-241100 U	24.00	1.10A	.		*						
TEAC-48-270xxx M	27.00	0.20A,0.25A,0.30A,0.35A								.	*
TEAC-48-270400 V/VB/M	27.00	0.40A	*	*		*	*	*	*		*
TEAC-48-270450 M	27.00	0.45A								.	*
TEAC-48-270500 V/VB/M	27.00	0.50A	*	*		*	*	*	*		*
TEAC-48-270xxx V/VB	27.00	0.60A,0.70A,0.80A,0.90A	*	*		*	*	*	*		
TEAC-48-353500 V/VB	3.50	3.50A	*	*		*	*	*	*		
TEAC-353500 V/VB	3.50	3.50A	*	*		*	*	*	*		
TEAC-63000 V/VB	6.00	3.00A	*	*		*	*	*	*		
TEAC-91000 V/VB	9.00	1.00A	*	*		*	*	*	*		
TEAC-91500 V/VB	9.00	1.50A	*	*		*	*	*	*		

TEAC-12xxxx V/VB	12.00	0.67A,0.85A,1.00A ,1.25A,1.50A,1.67 A	*	*		*	*	*	*		
TEAC-14800 V/VB	14.00	0.80A	*	*		*	*	*	*		
TEAC- 151000 V/VB	15.00	1.00A	*	*		*	*	*	*		
TEAC-16xxxx V/VB	16.00	0.75A,1.00A	*	*		*	*	*	*		
TEAC-18500 V/VB	18.00	0.50A	*	*		*	*	*	*		
TEAC- 205700 V/VB	20.50	0.70A	*	*		*	*	*	*		
TEAC-21900 V/VB	21.00	0.90A	*	*		*	*	*	*		
TEAC-24xxx V/VB	24.00	0.40A,0.50A	*	*		*	*	*	*		
TEAC- 241000 V/VB	24.00	1.00A	*	*		*	*	*	*		
TEAC-48- 03xxxx UT	3.00	2.00A,2.50A	.	.	*						
TEAC-48- 03xxxx UT/VT	3.00	3.00A,3.50A,4.00A ,4.50A	*	*	*	*	*	*	*		
TEAC-48- 353500 VT	3.50	3.50A	*	*		*	*	*	*		
TEAC-48- 041500 UT	4.50	1.50A	.	.	*						
TEAC-48- 04xxxx UT	4.50	2.00A,2.50A,3.00A ,4.00A	*	*	*	*	*	*	*		
TEAC-48- 04xxxx VT	4.50	2.00A,2.50A,3.00A ,3.50A	*	*	*	*	*	*	*		
TEAC-48- 061000 UT	6.00	1.00A	.	.	*						
TEAC-48- 06xxxx UT/VT	6.00	1.50A,2.00A,2.50A ,3.00A,3.50A	*	*	*	*	*	*	*		
TEAC-48- 07xxxx UT	7.50	0.80A,1.00A,1.20A ,1.50A,1.60A,1.70 A,1.80A,1.90A,2.0 0A,2.10A,2.20A,2. 30A,2.40A,2.50A,2. .60A,2.70A,2.80A	.	.	*						
TEAC-48- 07xxxx (GS)	7.50	1.20A,1.50A,1.60A ,1.70A,1.80A,1.90 A,2.00A,2.10A,2.2 0A,2.30A,2.40A,2. 50A,2.60A,2.70A,2. .80A,2.90A,3.00A	*	*		*	*	*	*		

TEAC-48-090800 UT	9.00	0.80A	.		*							
TEAC-48-09xxxx UT/VT	9.00	1.00A,1.20A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A,2.10A,2.20A,2.30A,2.40A,2.50A	*	*	*	*	*	*	*	*		
TEAC-48-100xxx UT	10.00	0.80A,0.90A	.		*							
TEAC-48-10xxxx UT/VT	10.00	1.00A	*	*	*	*	*	*	*	*		
TEAC-48-101100 UT	10.00	1.10A	.		*							
TEAC-48-10xxxx UT/VT	10.00	1.20A,1.30A,1.40A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A	*	*	*	*	*	*	*	*		
TEAC-48-102000AT	10.00	2.0A									*	
TEAC-48-102500 UT	10.00	2.50A	.		*							
TEAC-48-120xxx UT	12.00	0.50A,0.60A,0.70A,0.80A	.		*							
TEAC-48-120850 VT	12.00	0.85A	*	*		*	*	*	*	*		
TEAC-48-12xxxx UT/VT	12.00	0.90A,1.00A,1.25A,1.40A,1.50A,1.67A	*	*	*	*	*	*	*	*		
TEAC-48-121800 VT	12.00	1.80A	*	*		*	*	*	*	*		
TEAC-48-122000 UT/VT	12.00	2.00A	*	*	*	*	*	*	*	*		
TEAC-48-140xxx UT	14.00	0.50A,0.60A,0.70A	.		*							
TEAC-48-14xxxx UT/VT	14.00	0.80A,1.00A,1.20A,1.30A,1.40A,1.50A,1.60A,1.70A	*	*	*	*	*	*	*	*		
TEAC-48-145150 UT	14.50	1.50A	.		*							
TEAC-48-150xxx UT	15.00	0.50A,0.60A,0.70A	.		*							
TEAC-48-15xxxx UT/VT	15.00	0.80A,0.90A,1.00A,1.10A,1.20A,1.30A,1.40A,1.50A,1.60A	*	*	*	*	*	*	*	*		

TEAC-48-151700 UT	15.00	1.70A	.	*							
TEAC-48-160xxx UT	16.00	0.40A,0.50A,0.60A	.	*							
TEAC-48-160700 UT/VT	16.00	0.70A	*	*	*	*	*	*	*		
TEAC-48-160750 VT	16.00	0.75A	*	*							
TEAC-48-16xxxx UT/VT	16.00	0.80A,0.90A,1.00A,1.20A,1.30A,1.40A,1.50A	*	*	*	*	*	*	*		
TEAC-48-161600 UT	16.00	1.60A	.	*							
TEAC-48-18xxxx UT/VT	18.00	0.50A,0.60A,0.70A,0.80A,0.90A,1.00A,1.20A,1.30A	*	*	*	*	*	*	*		
TEAC-48-181400 UT	18.00	1.40A	.	*							
TEAC-48-200400 UT	20.00	0.40A	.	*							
TEAC-48-200500 UT/VT	20.00	0.50A	*	*	*	*	*	*	*		
TEAC-48-20xxxx UT	20.00	0.60A,0.70A,0.80A,0.90A,1.00A,1.20A,1.30A	.	*							
TEAC-48-205700 VT	20.50	0.70A	*	*		*	*	*	*		
TEAC-48-210xxx UT	21.00	0.40A,0.50A	.	*							
TEAC-48-21xxxx UT/VT	21.00	0.60A,0.70A,0.80A,0.90A,1.00A,1.10A	*	*	*	*	*	*	*		
TEAC-48-211200 UT	21.00	1.20A	.	*							
TEAC-48-220400 UT	22.00	0.40A	.	*							
TEAC-48-22xxxx UT/VT	22.00	0.50A,0.60A,0.70A,0.80A,0.90A,1.00A,1.10A	*	*	*	*	*	*	*		
TEAC-48-221200 UT	22.00	1.20A	.	*							
TEAC-48-240400 UT/VT	24.00	0.40A	*	*	*	*	*	*	*		
TEAC-48-240450 VT	24.00	0.45A	*	*		*	*	*	*		

TEAC-48-240xxx UT/VT	24.00	0.50A,0.60A,0.70A	*	*	*	*	*	*	*	*		
TEAC-48-240750 UT/VT/AT	24.00	0.75A	*	*	*	*	*	*	*	*	*	
TEAC-48-240xxx UT/VT	24.00	0.80A,0.90A	*	*	*	*	*	*	*	*		
TEAC-48-241000 UT/VT/AT	24.00	1.00A	*	*	*	*	*	*	*	*	*	
TEAC-48-241100 UT	24.00	1.10A	.		*							
TEAC-48-270xxx VT	27.00	0.40A,0.50A,0.60A,0.70A,0.80A,0.90A	*	*		*	*	*	*	*		

UL FILE NO: E159614

CB:JPTUV-002401,DE2-003880,JPTUV-002120,DE2- 003739

CCC Certificate: 2002010907004162,2003010907052724,2003010907052725,2003010907052730,2003010907052733,2003010907052736

BSI Certificate NO: T9854049

TUV Certificate NO: S12057540,S19956054

