







## EI-57

### AC-AC ADAPTERS

Last Update: 2005-4-20

MODEL	OUTPUT		SAFETY								
	Volt Vac	Amp	CB Report		UL		CE Countries		United Kingdom		SAA
											
			IEC 60950	IEC 61558	UL 1310	UL 1950	EN 60950	EN 61558	BS EN 60950	BS EN 61558	
TEAC-57-04xxxx V/V1/VB/A	4.50	4.50A,5.00A	*	*			*	*	*	*	*
TEAC-57-063500 UV/V1/VB/A	6.00	3.50A	*	*			*	*	*	*	*
TEAC-57-064000 U	6.00	4.00A			*						
TEAC-57-064170 V/V1/VB/A	6.00	4.17A	*	*			*	*	*	*	*
TEAC-57-06xxxx U	6.00	4.20A,4.40A			*						
TEAC-57-064500 V/V1/VB/A	6.00	4.50A	*	*			*	*	*	*	*
TEAC-57-06xxxx U	6.00	4.60A,4.80A			*						
TEAC-57-073000 U/V/V1/VB/A	7.50	3.00A	*	*	*		*	*	*	*	*
TEAC-57-073400 V/V1/VB/A	7.50	3.40A	*	*			*	*	*	*	*
TEAC-57-07xxxx U	7.50	3.50A,3.60A, 3.80A			*						
TEAC-57-074000 U/V/V1/VB/A	7.50	4.00A	*	*	*		*	*	*	*	*
TEAC-57-07xxxx U	7.50	4.20A,4.40A			*						
TEAC-57-092400 U	9.00	2.40A			*						

TEAC-57-092500 U/V/V1/VB/A	9.00	2.50A	*	*	*	*	*	*	*	*
TEAC-57-092700 U	9.00	2.70A			*					
TEAC-57-092800 V/V1/VB/A	9.00	2.80A	*	*		*	*	*	*	*
TEAC-57-093000 U/V/V1/VB/A	9.00	3.00A	*	*		*	*	*	*	*
TEAC-57-093200 U	9.00	3.20A			*					
TEAC-57-093400 U/VV1/VB/A	9.00	3.40A	*	*	*	*	*	*	*	*
TEAC-57-09xxxx U	9.00	3.50A,3.60A ,3.70A,3.80 A			*					
TEAC-57-102000 U	10.00	2.00A			*					
TEAC-57-102500 U/VV1/VB/A	10.00	2.50A	*	*	*	*	*	*	*	*
TEAC-57-10xxxx U	10.00	2.60A,2.80A			*					
TEAC-57-103000 U/V/V1/VB/A	10.00	3.00A	*	*	*	*	*	*	*	*
TEAC-57-10xxxx U	10.00	3.20A,3.40A			*					
TEAC-57-12xxxx U	12.00	1.50A,1.67A			*					
TEAC-57-12xxxx U/V/V1/VB/A	12.00	2.00A,2.10A	*	*	*	*	*	*	*	*
TEAC-57-12xxxx U	12.00	2.20A,2.30A ,2.40A			*					
TEAC-57-122500 U/V/V1/VB/A	12.00	2.50A	*	*	*	*	*	*	*	*
TEAC-57-12xxxx U	12.00	2.60A,2.70A			*					
TEAC-57-12xxxx U/V/V1/VB/A	12.00	2.80A,2.90A	*	*	*	*	*	*	*	*
TEAC-57-12xxxx U	12.00	3.00A,3.10A ,3.20A,3.30 A,3.40A			*					
TEAC-57-131800 V/V1/VB/A	13.00	1.80A	*	*		*	*	*	*	*
TEAC-57-14xxxx U	14.00	1.40A,1.50A ,1.60A,1.70 A,1.80A,1.9 0A			*					

TEAC-57-142000 U/V/V1/VB/A	14.00	2.00A	*	*	*	*	*	*	*	*
TEAC-57-14xxxx U	14.00	2.10A,2.20A, 2.30A,2.40A,2.50A,2.60A,2.70A,2.80A			*					
TEAC-57-15xxxx U	15.00	1.40A,1.50A, 1.60A			*					
TEAC-57-151670 V/V1/VB/A	15.00	1.67A	*	*		*	*	*	*	*
TEAC-57-15xxxx U	15.00	1.70A,1.80A, 1.90A			*					
TEAC-57-152000 U/V/V1/VB/A	15.00	2.00A	*	*	*	*	*	*	*	*
TEAC-57-15xxxx U	15.00	2.10A,2.20A			*					
TEAC-57-152300 U/V/V1/VB/A	15.00	2.30A	*	*	*	*	*	*	*	*
TEAC-57-15xxxx U	15.00	2.40A,2.50A, 2.60A,2.70A			*					
TEAC-57-16xxxx U	16.00	1.30A,1.40A			*					
TEAC-57-161500 U/V/V1/VB/A	16.00	1.50A	*	*	*	*	*	*	*	*
TEAC-57-16xxxx U	16.00	1.60A,1.70A			*					
TEAC-57-161800 UV/V1/VB/A	16.00	1.80A	*		*	*		*		*
TEAC-57-161900 U	16.00	1.90A			*					
TEAC-57-162000 U/V/V1/VB/A	16.00	2.00A	*		*	*		*		*
TEAC-57-16xxxx U	16.00	2.10A,2.20A, 2.30A,2.40A,2.50A,2.60A			*					
TEAC-57-18xxxx U	18.00	1.20A,1.30A			*					
TEAC-57-181400 U/V/V1/VB/A	18.00	1.40A	*		*	*		*		*
TEAC-57-18xxxx U	18.00	1.50A,1.60A, 1.70A,1.80A,1.90A,2.00A,2.10A,2.20A,2.30A			*					
TEAC-57-20xxxx U	20.00	1.00A,1.10A, 1.20A			*					

TEAC-57-201250 V/V1/VB/A	20.00	1.25A	*			*		*		*
TEAC-57-20xxxx U	20.00	1.30A,1.40A			*					
TEAC-57-201500 U/V/V1/VB/A	20.00	1.50A	*		*	*		*		*
TEAC-57-20xxxx U	20.00	1.60A,1.70A ,1.80A,1.90 A,2.00A			*					
TEAC-57-21xxxx U	21.00	0.90A,1.00A ,1.10A			*					
TEAC-57-211200 U/V/V1/VB/A	21.00	1.20A	*		*	*		*		*
TEAC-57-21xxxx U	21.00	1.30A,1.40A			*					
TEAC-57-211500 U/V/V1/VB/A	21.00	1.50A	*		*	*		*		*
TEAC-57-21xxxx U	21.00	1.60A,1.70A ,1.80A,1.90 A			*					
TEAC-57-220900 U	22.00	0.90A			*					
TEAC-57-221000 U/V/V1/VB/A	22.00	1.00A	*		*	*		*		*
TEAC-57-221100 U	22.00	1.10A			*					
TEAC-57-221200 U/V/V1/VB/A	22.00	1.20A	*		*	*		*		*
TEAC-57-22xxxx U	22.00	1.30A,1.40A			*					
TEAC-57-22xxxx U/V/V1/VB/A	22.00	1.50A,1.60A	*		*	*		*		*
TEAC-57-22xxxx U	22.00	1.70A,1.80A			*					
TEAC-57-24xxxx U	24.00	0.80A,0.90A ,1.00A,1.10 A,1.20A			*					
TEAC-57-241250 V/V1/VB/A	24.00	1.25A								
TEAC-57-241300 U/V/V1/VB/A	24.00	1.30A	*		*	*		*		*
TEAC-57-241400 U	24.00	1.40A			*					
TEAC-57-241500 U/V/V1/VB/A	24.00	1.50A	*		*	*		*		*

TEAC-57-24xxxx U	24.00	1.60A,1.70A			*						
TEAC-57-241200U1	24.00	12V 1.6A;12V 0.8A			*						
TEAC-57-241400U1	24.00	12V 1.6A;12V 1.2A			*						
TEAC-57-241600U1	24.00	12V 1.6A;12V 1.6A			*						
TEAC-57-270xxx U	27.00	0.70A,0.80A			*						
TEAC-57-27xxxx V/V1/VB/A	27.00	0.90A,1.00A ,1.10A	*			*		*		*	
TEAC-57-271200 U/V1/VB/A	27.00	1.20A	*		*	*		*		*	
TEAC-57-271300 U	27.00	1.30A			*						
TEAC-57-06xxxx UT	6.00	3.50A,4.00A ,4.20A,4.40 A,4.60A,4.8 0A			*						
TEAC-57-07xxxx UT	7.50	3.00A,3.50A ,3.60A,3.80 A,4.00A,4.2 0A,4.40A,4. 60A,4.80A			*						
TEAC-57-09xxxx UT	9.00	2.40A,2.50A ,2.70A,3.00 A,3.20A,3.4 0A,3.50A,3. 60A,3.70A,3 .80A,4.00A, 4.20A,4.40A			*						
TEAC-57-10xxxx UT	10.00	2.00A,2.50A ,2.60A,2.80 A,3.00A,3.2 0A,3.40A,3. 60A,3.80A,4 .00A			*						
TEAC-57-12xxxx UT	12.00	1.50A, 1.67A , 2.00A, 2.10 A, 2.20A, 2.3 0A, 2.40A, 2. 50A, 2.60A, 2 .70A, 2.80A, 2.90A, 3.00A , 3.10A, 3.20 A, 3.30A, 3.4 0A			*						
TEAC-57-14xxxx UT	14.00	1.40A,1.50A ,1.60A,1.70 A,1.80A,1.9 0A,2.00A,2. 10A,2.20A,2 .30A,2.40A, 2.50A,2.60A ,2.70A,2.80 A			*						

TEAC-57-15xxxx UT	15.00	1.40A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A,2.10A,2.20A,2.30A,2.40A,2.50A,2.60A,2.70A			*						
TEAC-57-16xxxx UT	16.00	1.30A,1.40A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A,2.10A,2.20A,2.30A,2.40A,2.50A,2.60A			*						
TEAC-57-18xxxx UT	18.00	1.20A,1.30A,1.40A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A,2.10A,2.20A,2.30A			*						
TEAC-57-20xxxx UT	20.00	1.00A,1.10A,1.20A,1.30A,1.40A,1.50A,1.60A,1.70A,1.80A,1.90A,2.00A			*						
TEAC-57-21xxxx UT	21.00	0.90A,1.00A,1.10A,1.20A,1.30A,1.40A,1.50A,1.60A,1.70A,1.80A,1.90A			*						
TEAC-57-22xxxx UT	22.00	0.90A,1.00A,1.10A,1.20A,1.30A,1.40A,1.50A,1.60A,1.70A,1.80A			*						
TEAC-57-24xxxx U	24.00	0.80A,0.90A,1.00A,1.10A,1.20A,1.30A,1.40A,1.50A,1.60A,1.70A			*						
TEAC-57-241200UT1		V1:12V 1.6A;V2:12V 0.8A			*						
TEAC-57-241400UT1		V1:12V 1.6A;V2:12V 1.2A			*						
TEAC-57-241600UT1		V1:12V 1.6A;V2:12V 1.6A			*						
TEAC-57-27xxxx UT	27.00	0.70A,0.80A,1.20A,1.30A			*						

UL FILE NO: E159614

CB:DE2-003693,JPTUV-001960,JPTUV-001960-ML

BSI Certificate NO: T9956489

TUV Certificate NO: S19754150,S1 2057476

CE: CC9654013

SAA Certificate NO:Q01324

