

TUE 深圳正盟电子有限公司





Technics United Electronic Co., Ltd



EI-66

AC-AC ADAPTERS

Last Update: 2005-4-20

MODEL	OUTPUT		SAFETY								
	Volt Vac	Amp	CB Report		UL/CUL	Canada	CE Countries		United Kingdom		SAA
			IEC 60950	IEC 61558	 UL 1950	 C22.2 NO 223-M91	 EN 60950 EN 61558	 BS EN 60950 BS EN 61558	AS/NZS 60950		
TEAC-66-06xxxx U	6.00	4.50A,4.60A, 4.70A,4.80A, 4.90A			*	*					
TEAC-66-065000 U/V/VB/A	6.00	5.00A	*	*	*	*	*	*	*	*	*
TEAC-66-06xxxx V/VB/A	6.00	5.50A,6.00A, 6.50A,7.00A	*	*			*	*	*	*	*
TEAC-66-07xxxx U	7.50	4.50A,4.60A, 4.70A,4.80A, 4.90A			*	*					
TEAC-66-075000 U/V/VB/A	7.50	5.00A	*	*	*	*	*	*	*	*	*
TEAC-66-07xxxx V/VB/A	7.50	5.50A,6.00A	*	*			*	*	*	*	*
TEAC-66-09xxxx U	9.00	4.00A,4.10A, 4.20A,4.30A, 4.40A			*	*					
TEAC-66-094500 U/V/VB/A	9.00	4.50A	*	*	*	*	*	*	*	*	*
TEAC-66-09xxxx U	9.00	4.60A,4.70A, 4.80A,4.90A			*	*					
TEAC-66-095000 U/V/VB/A	9.00	5.00A	*	*	*	*	*	*	*	*	*
TEAC-66-09xxxx V/VB/A	9.00	5.50A,6.00A	*	*			*	*	*	*	*
TEAC-66-10xxxx U	10.00	3.80A,3.90A, 4.00A,4.10A, 4.20A,4.30A, 4.40A			*	*					

TEAC-66-104500 U/V/VB/A	10.00	4.50A	*	*	*	*	*	*	*	*	*
TEAC-66-10xxxx U	10.00	4.60A,4.70A, 4.80A,4.90A			*	*					
TEAC-66-105000 U/V/VB/A	10.00	5.00A	*	*	*	*	*	*	*	*	*
TEAC-66-12xxxx U	12.00	3.20A,3.30A, 3.40A			*	*					
TEAC-66-123500 U/V/VB/A	12.00	3.50A	*	*	*	*	*	*	*	*	*
TEAC-66-12xxxx U	12.00	3.60A,3.70A, 3.80A,3.90A			*	*					
TEAC-66-124000 U/V/VB/A	12.00	4.00A	*	*	*	*	*	*	*	*	*
TEAC-66-124100 U	12.00	4.10A			*	*					
TEAC-66-124170 V/VB/A	12.00	4.170A	*	*			*	*	*	*	*
TEAC-66-124200 U/V/VB/A	12.00	4.20A	*	*	*	*	*	*	*	*	*
TEAC-66-12xxxx U	12.00	4.30A,4.40A			*	*					
TEAC-66-124500 U/V/VB/A	12.00	4.50A	*	*	*	*	*	*	*	*	*
TEAC-66-133000 U/V/VB/A	13.50	3.00A	*	*	*	*	*	*	*	*	*
TEAC-66-13xxxx U	13.50	3.10A,3.20A, 3.30A,3.40A			*	*					
TEAC-66-133500 U/V/VB/A	13.50	3.50A	*	*	*	*	*	*	*	*	*
TEAC-66-13xxxx U	13.50	3.60A,3.70A, 3.80A,3.90A			*	*					
TEAC-66-134000 U/V/VB/A	13.50	4.00A	*	*	*	*	*	*	*	*	*
TEAC-66-15xxxx U	15.00	2.50A,2.60A, 2.70A			*	*					
TEAC-66-152800 U/V/VB/A	15.00	2.80A	*	*	*	*	*	*	*	*	*
TEAC-66-152900 U	15.00	2.90A			*	*					
TEAC-66-153000 U/V/VB/A	15.00	3.00A	*	*	*	*	*	*	*	*	*
TEAC-66-15xxxx U	15.00	3.10A,3.20A, 3.30A,3.40A			*	*					
TEAC-66-153500 U/V/VB/A	15.00	3.50A	*	*	*	*	*	*	*	*	*
TEAC-66-153600 U	15.00	3.60A			*	*					

TEAC-66-15xxxx V/VB/A	15.00	4.00A	*	*			*	*	*	*	*
TEAC-66-16xxxx U	16.00	2.40A,2.50A,2.60A,2.70A			*	*					
TEAC-66-162800 U/V/VB/A	16.00	2.80A	*	*	*	*	*	*	*	*	*
TEAC-66-162900 U	16.00	2.90A			*	*					
TEAC-66-163000 U/V/VB/A	16.00	3	*	*	*	*	*	*	*	*	*
TEAC-66-16xxxx U	16.00	3.10A,3.20A,3.30A,3.40A			*	*					
TEAC-66-163500 U/V/VB/A	16.00	3.50A	*	*	*	*	*	*	*	*	*
TEAC-66-18xxxx U	18.00	2.10A,2.20A,2.30A,2.40A			*	*					
TEAC-66-182500 U/V/VB/A	18.00	2.50A	*	*	*	*	*	*	*	*	*
TEAC-66-18xxxx U	18.00	2.60A,2.70A,2.80A,2.90A			*	*					
TEAC-66-183000 U/V/VB/A	18.00	3.00A	*	*	*	*	*	*	*	*	*
TEAC-66-20xxxx U	20.00	1.80A,1.90A,2.00A,2.10A			*	*					
TEAC-66-202200 U/V/VB/A	20.00	2.20A	*	*	*	*	*	*	*	*	*
TEAC-66-20xxxx U	20.00	2.30A,2.40A			*	*					
TEAC-66-202500 U/V/VB/A	20.00	2.50A	*	*	*	*	*	*	*	*	*
TEAC-66-20xxxx U	20.00	2.60A,2.70A			*	*					
TEAC-66-202800 U/V/VB/A	20.00	2.80A	*	*	*	*	*	*	*	*	*
TEAC-66-20xxxx V/VB/A	20.00	3.00A	*	*			*	*	*	*	*
TEAC-66-22xxxx U	22.00	1.60A,1.70A,1.80A,1.90A			*	*					
TEAC-66-222000 U/V/VB/A	22.00	2.00A	*	*	*	*	*	*	*	*	*
TEAC-66-222100 U	22.00	2.10A			*	*					
TEAC-66-222200 U/V/VB/A	22.00	2.20A	*	*	*	*	*	*	*	*	*
TEAC-66-22xxxx U	22.00	2.30A,2.40A			*	*					

TEAC-66-222500 U/V/VB/A	22.00	2.50A	*	*	*	*	*	*	*	*	*
TEAC-66-22xxxx V/VB/A	22.00	2.60A	*	*			*	*	*	*	*
TEAC-66-24xxxx U	24.00	1.40A,1.50A, 1.60A,1.70A, 1.80A,1.90A			*	*					
TEAC-66-242000 U/V/VB/A	24.00	2.00A	*	*	*	*	*	*	*	*	*
TEAC-66-24xxxx U	24.00	2.10A, 2.20A, 2.30A			*	*					
TEAC-66-24xxxx V/VB/A	24.00	2.50A	*	*			*	*	*	*	*
TEAC-9xxxx V	9.00	3.40A,4.00A, 5.00A					*				
TEAC-12xxx V	12.00	2.50A,3.40A, 4.17A,5.00A					*				
TEAC-18xxx V	18.00	2.20A,3.00A					*				
TEAC-24xxx V	24.00	1.25A,2.50A					*				

UL FILE NO: E198850,E159614

CB: JPTUV-00390,DE2-004953

SAA Certificate No:Q01624

BSI Certificate NO: TA50005551

TUV Certificate NO: S150010619

